

## DR. SAMUEL CANIZALES QUINTEROS

Acuna-Alonso V, Flores-Dorantes T, Kruit JK, et al. A functional ABCA1 gene variant is associated with low HDL-cholesterol levels and shows evidence of positive selection in Native Americans Human Molecular Genetics, 2010; 19 (14): 2877–2885

Erika Jonietz. Cause and effect. *Decades of study into the causes of diabetes have produced no definitive answers.* NATURE 2012; 485: S10

Carla Greenbaum. Rethink the immune connection. NATURE 2012; 485: S 9

Sarah DeWeerd. Cell savers *In type 1 diabetes, the immune system goes haywire and depletes insulin-producing cells. Drugs that interfere with this process could one day reverse the disease's course.* NATURE 2012; 485: S4

Elie Dolgin. Managed by machine. *Artificial pancreases promise to take the decision-making — and human mistakes — out of managing type 1 diabetes.* NATURE 2012; 485: S6

Lauren Gravitz . The critters within *Your gut microflora might be aiding and abetting diabetes.* NATURE 2012; 485: S12

Scott P. Edwards. Nipped in the bud *While type 1 diabetes might be promising ground for a vaccine, the most effective way to avoid type 2 remains good old-fashioned diet and exercise.* NATURE 2012; 485: S18

Thomas Mandrup-Poulsen. Promising drugs to treat diabetes stumble in the latter stages of clinical testing. NATURE 2012; 485 S17

Tony Scully. DIABETES IN NUMBERS. N AT U R E 2012; 4 8 5: S 2

Lei Chen, Dianna J. Magliano and Paul Z. Zimmet. The worldwide epidemiology of type 2 diabetes mellitus—present and future perspectives. *Nat. Rev. Endocrinol.* 8, 228–236 (2012); published online 8 November 2011; [doi:10.1038/nrendo.2011.183](https://doi.org/10.1038/nrendo.2011.183)

Kilkus JM, Booth JN, Bromley JL, Darukhanavala AP, et al. Sleep and Eating Behavior in Adults at Risk for Type 2 Diabetes. *Obesity* (2012) 20, 112–117.  
doi:10.1038/oby.2011.319| [www.obesityjournal.org](http://www.obesityjournal.org)

Vandanmagsar B, Youm YH, Ravussin A, et al. The NLRP3 inflammasome instigates obesity-induced inflammation and insulin resistance. *Nature medicine* 2011; 17(2)

## FEBRUARY

### ROXANA GUTIÉRREZ VIDAL

1. Hong Ma,\*,<sup>†</sup> Victoria Gomez,<sup>†</sup> Liang Lu,<sup>†</sup> Xiangjiu Yang,\* Xiaoyan Wu<sup>‡</sup> and Shu-Yuan Xiao. Expression of adiponectin and its receptors in livers of morbidly obese patients with non-alcoholic fatty liver disease. *Journal of Gastroenterology and Hepatology* 24 (2009) 233–237 © 2008
2. Leonilde Bonfrate . Nonalcoholic fatty liver disease. Marcin Krawczyk, MD, Research Fellow a, MD. *Best Practice & Research Clinical Gastroenterology* 24 (2010) 695–708
3. Noriyuki Ouchi,<sup>1\*</sup> Akiko Higuchi,<sup>1</sup> Koji Ohashi,<sup>1</sup> Yuichi Oshima,<sup>1</sup> Noyan Gokce, et al. . Sfrp5 Is an Anti-Inflammatory Adipokine That Modulates Metabolic Dysfunction in Obesity. *SCIENCE* 2010; 329:454-457 [www.sciencemag.org](http://www.sciencemag.org)
4. Schulte DM, Nike Muller<sup>1</sup>, Katrin Neumann<sup>1</sup>, Frank Oberhauser<sup>2</sup>, Michael Faust<sup>2</sup>, et al. Pro-Inflammatory wnt5a and Anti-Inflammatory sFRP5 Are Differentially Regulated by Nutritional Factors in Obese Human Subjects| PLoS ONE 7(2): e32437. doi:10.1371/journal.pone.0032437 [www.plosone.org](http://www.plosone.org)

### HUGO VILLAMIL RAMÍREZ

1. Jaya Krishnan, Carsten Danzer, Tatiana Simka, Josef Uklepec, Katharina Manuela Walter, et al . Dietary obesity-associated Hif1a activation in adipocytes restricts fatty acid oxidation and energy expenditure via suppression of the Sirt2-NAD<sup>+</sup> system . [www.genesdev.org/cgi/doi/10.1101/gad.180406.111](http://www.genesdev.org/cgi/doi/10.1101/gad.180406.111). online
2. Garrido-Sánchez<sup>1L</sup>, García-Fuentes E, Fernandez-García E, Escote X, et al. Zinc-Alpha 2-Glycoprotein Gene Expression in Adipose Tissue Is Related with Insulin Resistance and Lipolytic Genes in Morbidly Obese Patients.. [www.plosone.org](http://www.plosone.org) 2012; 7 (3): e33264.
3. Villalobos-Comparán M, Flores-Dorantes MT, Villarreal-Molina MT, et al. The *FTO* Gene Is Associated With Adulthood Obesity in the Mexican Population. *Obesity J.* 2008; 16 (10): 2296-2301 | doi:10.1038/oby.2008.367.

4. Cristen J Willer, Elizabeth K Speliotes, Ruth J F Loos, Shengxu Li et al. Six new loci associated with body mass index highlight a neuronal influence on body weight regulation. *Nature Genetics* 2008; doi:10.1038/ng.287
5. Felix R. Day Ruth J.F. Loos. Developments in Obesity Genetics in the Era of Genome-Wide Association Studies. *J Nutrigenet Nutrigenomics* 2011; 4:222–238

#### LEONOR JACOBO ALBAVERA

1. The ATP-Binding Cassette Transporter A1 R230C Variant Affects HDL Cholesterol Levels and BMI in the Mexican Population Association With Obesity and Obesity-Related Comorbidities *DIABETES* 2007; 56: 1881-1887.
2. Joanne E Curran1, Matthew P Johnson1, Thomas D Dyer1, Jac Charlesworth1, et al. Discovery of expression QTLs using large-scale transcriptional profiling in human lymphocytes Harald H H Go̊ring1. *NATURE GENETICS* 2007 ; 39 (10):1208-1216
3. Villarreal-Molina MT, Flores-Dorantes MT, Arellano-Campos O, et al. Association of the ATP-Binding Cassette Transporter A1 R230C Variant With Early-Onset Type 2 Diabetes in a Mexican Population. *DIABETES*, 2008; 57: 509-513.
4. Teresa Flores-Dorantes a, Olimpia Arellano-Campos b, Rosalinda Posadas-Sánchez, et al. Association of R230C ABCA1 gene variant with low HDL-C levels and abnormal HDL subclass distribution in Mexican school-aged children. *Clinica Chimica Acta* 2010; 411:1214-1217.

#### DRA. MARIA TERESA TUSIE LUNA

1. In-Su Cho, Miyoung Jung, Ki-Sun Kwon, Eunpyo Moon, Jang-Hyeon Cho, Kun-Ho Yoon, et al. Dereulation of CREB Signaling Pathway Induced by Chronic Hyperglycemia Downregulates NeuroD Transcription. *PLoS ONE* 7(4): e34860. doi:10.1371/journal.pone.0034860. [www.plosone.org](http://www.plosone.org)
2. Velasco-Mondragon H. et al. Diabetes Risk Assessment in Mexicans and Mexican Americans Effects of parental history of diabetes are modified by adiposity level. *Diabetes Care* 33:2260–2265, 2010
3. V. Saroja. Voruganti2, Xin He1, Subrata D. Nath1, John Blangero2, Jean W. MacCluer2, Anthony G. Comuzzie2, Hanna E. Abboud1, and Nedal H. Arar1. Genetic variants in the Renin-Angiotensin System genes are associated with Cardiovascular-Renal-related risk factors in Mexican Americans Farook Thameem1,\* , *Hum Genet*. 2008 ; 124(5): 557–559. doi:10.1007/s00439-008-0581-x.

4. Sharon Adler, MD\*, Madeleine Pahl, MD†, Hanna Abboud, MD‡, Nicholas S, Ipp E, Seldin M. Mexican-American Admixture Mapping Analyses for Diabetic Nephropathy in Type 2 Diabetes Mellitus. *Semin Nephrol*. 2010 ; 30(2): 141–149.  
doi:10.1016/j.semnephrol.2010.01.005.
5. . Igo RP, Jr. Iyengar SK, Nicholas SB. Goddard KAB, Et al. Genomewide Linkage Scan for Diabetic Renal Failure and Albuminuria: The FIND Study Am J Nephrol 2011;33:381–389. DOI: 10.1159/000326763

#### DRA. MARTHA PATRICIA OSTROSKY-WEGMAN

1. Díaz-Villaseñor A, Burns AL, Hiriart M, Cebrián ME, Ostrosky-Wegman P. Arsenic-induced alteration in the expression of genes related to type 2 diabetes mellitus. *Toxicology and Applied Pharmacology* 225 (2007) 123–133.
2. Díaz-Villaseñor A, Sánchez-Soto M. Carmen, Cebrián Mariano E, Ostrosky-Wegman P, Hiriart M. Sodium arsenite impairs insulin secretion and transcription in pancreatic  $\beta$ -cells. *Toxicology and Applied Pharmacology* 214 (2006) 30–34
3. Díaz-Villaseñor a, Marcia Hiriart b, Mariano E. Cebrián c, Rogelio Zacarías-Castillo d, Patricia Ostrosky-Wegman. The activity of calpains in lymphocytes is glucose-dependent and is decreased in diabetic patients. *Blood Cells, Molecules, and Diseases* 40 (2008) 414–419
4. Díaz-Villaseñor A, Burns AL, Salazar AM, Sordo M, Hiriart M, Cebrián ME, Ostrosky-Wegman P. Arsenite reduces insulin secretion in rat pancreatic  $\beta$ -cells by decreasing the calcium-dependent calpain-10 proteolysis of SNAP-25. *Toxicology and Applied Pharmacology* 2008; 231: 291–299

#### DRA. HAYDEÉ ROSAS VARGAS

1. Keith M. Godfrey, Allan Sheppard, Peter D. Gluckman, Karen A. Lillycrop, Graham C. Burdge,1 Cameron McLean, Joanne Rodford, Slater-Jeffries JL, et al. Epigenetic Gene Promoter Methylation at Birth Is Associated with Child's Later Adiposity. *Diabetes* 2011; 60:1528–1534,
2. DNA methylation in metabolic disorders. The American Journal of Clinical Nutrition Am J Clin Nutr 2011;93(4): 897S-900S [www.ajcn.org](http://www.ajcn.org)

3. Sang-Woon Choi, Simonetta Friso. Epigenetics: A New Bridge between Nutrition and Health. American Society for Nutrition. *Adv Nutr* 2010; 1: 8–16  
doi:10.3945/an.110.1004.
2. Barry E. Levin<sup>1,2</sup>. Epigenetic Influences on Food Intake and Physical Activity Level: Review of Animal Studies. Correspondence: Barry E. Levin (levin@umdnj.edu)
3. The thrifty epigenotype: an acquired and heritable predisposition for obesity and diabetes? Reinhard Stoger. *BioEssays* 2008; 30:156–166, \_
4. Kinyui Alice Lo<sup>1</sup>, Mary K. Bauchmann<sup>3</sup>, Amy P. Baumann<sup>3</sup>, Christopher J. Donahue<sup>3</sup>, Mark A. Thiede<sup>3</sup>, Lisa S. Hayes<sup>4</sup>, Shelley Ann G. des Etages<sup>4</sup>, Ernest Fraenkel . Genome-Wide Profiling of H3K56 Acetylation and Transcription Factor Binding Sites in Human Adipocytes. *PLOS ONE* 2011; 6 (6): e19778 www.plosone.org
5. C Hilton<sup>1</sup>, MJ Neville<sup>1</sup> and F Karpe<sup>1,2</sup>. MicroRNAs in adipose tissue: their role in adipogenesis and obesity. International Journal of Obesity advance online publication, International Journal of Obesity 2012; 1–8 doi:10.1038/ijo.2012.59
6. Zhong-Cheng Luo, Lin Xiao, Anne-Monique Nuyt Zhong-Cheng Luo, Lin Xiao,. Mechanisms of developmental programming of the metabolic syndrome and related disorders . doi:10.4239/wjd.v1.i3.89 WJD|www.wjgnet.com *World J Diabetes* 2010 July 15; 1(3): 89-98 ISSN 1948-9358 (online)
7. Masashi Okamura, Takeshi Inagaki, Toshiya Tanaka, Juro Sakai Role of histone methylation and demethylation in adipogenesis and obesity .*Organogenesis* 6:1, 24-32.